



## **BROAD SPECTRUM DISINFECTANT**

### **ONE APPLICATION LASTS UP TO SEVEN DAYS**

- Terminal disinfection of stables when they are cleaned out. Use in a knap sack sprayer. Dilute at 1:150 but to kill ringworm spores dilute at 1:50.
- Fogging of stables twice a week to keep pathogen levels down.
- Spray tack at 1:50. This will de-contaminate the tack and help to clean it.
- Horseboxes can be fogged or sprayed on a regular basis to eliminate pathogens, particularly when attending race meetings and other competitive events. MULTICIDE® is proven to be non-corrosive and will not damage vehicles.
- Starting stalls should be sprayed with MULTICIDE® each morning of a race meeting. MULTICIDE®'s residual efficacy will render the stalls disease-free all day.

### **CONTINUES WORKING FOR 7 DAYS**

### **TOTALLY NON-CORROSIVE IN ITS DILUTED FORM**

### **BIO-DEGRADABLE**

MERIDEN ANIMAL HEALTH LIMITED  
Cranfield Innovation Centre, University Way, Cranfield Technology Park,  
Cranfield, Bedfordshire, MK43 0BT, England.  
Tel: +44 (0) 1234 436 130 Fax: + 44 (0) 1234 436 131  
Email: [sales@meriden-ah.com](mailto:sales@meriden-ah.com) Website: [www.meriden-ah.com](http://www.meriden-ah.com)



## THE ULTIMATE BROAD SPECTRUM DISINFECTANT

### VIRUSES

PATHOGENS	DISEASES	PROVEN MULTICIDE® DILUTION RATE
Adenovirus	Pneumonia, Acute Respiratory Illness	1:500
Equine Herpesvirus Types 1, 2, 3, 4 etc.	Rhino-Pneumonitis	1:1400
Myxovirus, Influenza Types 1 & 2	Equine Influenza	1:500
Rhinovirus 1 & 2	Rhinitis, Pharyngitis	1:300
Equine Arteritis	Equine Viral Arteritis	1:200
Infectious Bronchitis Agent	Acute Upper Respiratory Infection	1:900
Parainfluenza 3 Virus	Acute Upper Respiratory Infection	1:750
Orthopoxvirus	Horsepox	1:500
Rotavirus	Diarrhoea	1:200

### BACTERIA

PATHOGENS	DISEASES	PROVEN MULTICIDE® DILUTION RATE
<i>Bacillus anthracis</i>	Septicaemia	1:60
<i>Haemophilus equigenitalis</i>	Contagious Equine Metritis	1:1600
<i>Streptococcus equi</i>	Strangles	1:500
<i>Salmonella</i> spp.	Salmonella (Septicaemia, Enteritis – can cause abortion)	1:150
<i>Staphylococcus</i> spp.	Demodectic Mange	1:1500
<i>Corynebacterium equi</i>	Corynebacterium Pneumonia of Foals	1:7000

### FUNGI AND MOULDS

PATHOGENS	DISEASES	PROVEN MULTICIDE® DILUTION RATE
<i>Aspergillus</i> spp.	Fungal Placentitis (causes abortion)	1:1000
<i>Trichophyton mentagrophytes</i>	Ringworm	1:50