


OREGO-STIM[®]

A Meriden Animal Health Product



Poultry

- **Maximises intestinal health**
- **Increased performance** = **Higher returns**

Used and recommended by poultry producers, nutritionists and veterinarians throughout the world...

In Germany, *Orego-Stim*[®] is used by the largest integrated egg producing company to prevent gastrointestinal tract diseases in their free-range layers

In Turkey, *Orego-Stim*[®] is used by the largest broiler integrator to decrease mortality rates which in turn dramatically increases profits

Dr. Haysam Demeriah D.V.M, from Syria says “I am a strong believer in the efficacy of *Orego-Stim*[®]. We use it for controlling various poultry diseases, which include coccidiosis, necrotic enteritis and candidiasis.”



100% Natural Additive
for inclusion in the feed/drinking water

HEALTHY ANIMALS - HEALTHY PEOPLE - NATURALLY

Tried and tested

Orego-Stim[®] has been researched over many years. Commercial, clinical and university trials are available in full detail, one of which is shown below.

Orego-Stim[®] Liquid: Effect on broiler performance during the withdrawal period

Commercial trial where *Orego-Stim*[®] Liquid was administered during the withdrawal of in-feed meds (day 35 – 42) to 142,706 broilers.

Days 35 -42	Control	<i>Orego-Stim</i> [®]	Difference
Live Body Weight Gain (g)	324	382	58g
FCR	1.913	1.851	-3.24 %
Mortality (%)	2.32	1.03	-55.60 %
Profit per bird (USD)	1.18	1.30	+ 0.12

Before usage of *Orego-Stim*[®]



After usage of *Orego-Stim*[®]



Cost of *Orego-Stim*[®] for this trial: US\$ 940.00

Additional profit of USD 0.12/bird X 142,706 broilers = US\$ 17,124.72

Return on Investment: 1: 18



Meriden
ANIMAL HEALTH

For use in all types of poultry

Orego-Stim[®] is unique. It is the **100% natural feed additive/flavour** used globally in livestock diets to maximise overall performance and returns. *Orego-Stim*[®] promotes growth and better feed utilisation. It improves health status and assists in times of stress while providing a distinctive aromatic flavour in feed.

Using *Orego-Stim*[®] in the feed or water will enhance broiler production by:

- Helping to maintain a healthy immune system
- Maximising intestinal health
- Producing drier faeces + drier litter = less ammonia
- Reducing mortality
- Decreasing incidences of diarrhoea caused by common intestinal diseases
- Improving efficiency of growers
- Providing extra protection during stressful periods
- Improving growth rates and feed conversion ratio

Using *Orego-Stim*[®] in the feed or water will enhance layer and breeder production by:

- Helping to maintain a healthy immune system
- Maximising intestinal health
- Producing drier faeces + drier litter = less ammonia
- Reducing mortality
- Decreasing incidences of diarrhoea caused by common intestinal diseases
- Improving the efficiency of layers and uniformity of the eggs
- Increasing egg production
- Reducing the number of cracked, inferior and dirty eggs
- Providing extra protection during stressful periods

Unique features of *Orego-Stim*[®]

- Anti-bacterial
- No bacterial resistance
- Anti-diarrhoeal
- 100% natural
- Safe - Active ingredient GRAS registered by the FDA
- No residues
- Traceability - FEMAS accredited
- High return on investment
- Compatible with all products
- Full technical support

Poultry trials

Coccidiosis control with *Orego-Stim*[®]

- A Syrian Experience 2006

Effect of *Orego-Stim*[®] on production and health parameters of broiler chickens

- Principal Investigator: Patricia A. Schoknecht. Rutgers University, USA

Field trial in broiler chickens - *Orego-Stim*[®] as a coccidiostatic

- Yecapixtla, Mor. Mexico

***Orego-Stim*[®] reduces necrotic enteritis**

- Saini, R., S. Davis and W. Dudley-Cash. USA

***Orego-Stim*[®] reduces the expression of coccidiosis in broilers**

- Saini, R., S. Davis and W. Dudley-Cash. USA

***Orego-Stim*[®] Liquid: Effect on broiler performance during the withdrawal period**

- Polimed, Turkey

***Orego-Stim*[®]: An alternative anticoccidial and performance enhancer for broilers**

- Marcela R. Batungbacal, Edwin S. Luis, Josephine R. Centeno and Nelia F. Carandang. University of the Philippines

***Orego-Stim*[®] controls histomoniasis in free range layer farm**

- Commercial Trial, Germany

Rearing broilers without growth promoters and coccidiostats

- L. Waldenstedt. Swedish University of Agricultural Sciences and Department of Parasitology, National Veterinary Institute, Uppsala, Sweden

All trials are available on request

Usage instructions

Easy to administer with an economically low inclusion rate

Powder: 300g per tonne of feed

Liquid: 150ml per 1000L of water

An additional 150ml of *Orego-Stim*[®] Liquid should be administered during critical periods when using either powder or liquid.

As situations vary from unit to unit, Meriden technical staff may be contacted for assistance in determining optimum and customised application rates for specific farming conditions and needs.



WARNING – Beware of copy products containing synthetic phenols, as they may contain not only toxins, but also carcinogenic compounds!



Meriden
ANIMAL HEALTH

Email: sales@meriden-ah.com • Web: www.meriden-ah.com

Cranfield Innovation Centre, University Way,
Cranfield Technology Park, Cranfield UK MK43 0BT
Tel: +44 (0)1234 436130
Fax: +44 (0)1234 436131

Disclaimer: The information contained in this leaflet is intended for international use and is for information only. Specific details and licensing arrangements may vary from country to country including the EU. Details of formulations, indications and applications for any particular country should be checked.